

Jacek STANISZ¹, Zenon PILECKI², Piotr KROKOSZYNSKI¹, Robert KACZMARCZYK¹

¹AGH University of Science and Technology, Faculty of Geology, Geophysics and Environmental Protection

²Mineral and Energy Economy Research Institute, Polish Academy of Sciences, Wybickiego 7A,
31-261 Cracow, Poland

Preliminary result of pore pressure profiling on Carpathian Flysch landslide in Tegoborze-Just

Abstract

The ground changes its properties under water content conditions and, as a result, its strength decreases. Such a condition may be the cause of development of volumetric and shear strains, and as a consequence, the formation of a slip surface. Zones of slip surfaces are preferred ways to infiltrate water. Pore pressure profiling with depth allows identification of such zones, especially in water content ground after more intense precipitation. In the article authors present the preliminary results of the profiling of pore pressure in the near surface layers of the Carpathian flysch, on the landslide Tegoborze-Just near Nowy Sącz. Measurement of pore pressure in flysch composition is very complicated due to the great heterogeneity of the medium. The tests were carried out in a coluvium to a depth of approx. 5.5m. The obtained values indicate the presence of one main water flow zone, which may be a slip surface. The location of this zone is consistent with the inclinometer strain. Profiling was performed in several series using a CPTU static probe with a NOVA Acoustic cone. The research will be continued, especially in the conditions of greater water content.

The study was partially supported by AGH-UST 11.11.140.649.